

# Lemzon<sup>®</sup>

MAGNIFICAT SURFACE

600x  
1200mm | GVT &  
PGVT



**Glossy**   
collection

"like A Polished Gem, Let Your  
Spirit Shine With A Glossy Brilliance."



## ADVANTAGES



Light  
Weight



Water Proof  
Surface



Frost  
Resistance



Resistance  
To Heat



Chemical  
Resistance



Wear & Tear  
Resistance



Resistance  
To UV Ray



Stain  
Resistance

# Glossy

Collection



600x1200 mm  
GVT & PGVT

**EXPERIENCE**  
The Lavishness

—  
ENHANCE THE LAVISHNESS OF  
YOUR SPACE

It's A Clickable Catalogue

# PRODUCT INDEX



**Tap To Explore Each Product**

Tap On Particular Product To Explore Full Size View.



**Tap To Back To Index Page**

Again Tap On The Tiles Page To Return To Index Page



**ELITE GREY**



**ELITE WHITE**



**LUX SMOKE**



**LUX CHARCOAL**



**EBERICO BIANCO**



**ORAM CREMA**



**LAURENT BIANCO**



**MONACO BLUE**



**ROSALIYA CREMA**



**FUSION WHITE**



**FUSION GRAY**



**PULPIS WHITE**



**PULPIS GRAY**



**EXPLOSION BLUE**



**EXPLOSION FUSION**



**BURDER GREY**



**ARGOS GRAY**



**ORIENTAL GRAY**



**CEMENTO SLATE GREY**



**CEMENTO SLATE SILVER**



**CEMENTO SLATE ICE**

Applications



Floor Tiles



Wall Tiles

100%

Vitrified



100%  
Water Proof

**Lemzon**<sup>®</sup>  
MAGNIFICAT SURFACE

## Elite Grey



Finish:  
**GLOSSY**

Size:  
**600x1200mm**

Random:  
**03**

360°


SCAN & TOUCH FOR



BACK TO INDEX



### Available Phases



Applications



Floor Tiles



Wall Tiles

100%

Vitrified



100%  
Water Proof

**Lemzon**<sup>®</sup>  
MAGNIFICAT SURFACE

## Elite White



Finish:  
**GLOSSY**

Size:  
**600x1200mm**

Random:  
**03**

360°

SCAN & TOUCH FOR



BACK TO INDEX



### Available Phases



Applications



Floor Tiles



Wall Tiles

100%

Vitrified

100%

Water Proof

**Lemzon**<sup>®</sup>  
MAGNIFICAT SURFACE

## Lux Smoke



Finish:  
**GLOSSY**

Size:  
**600x1200mm**





Random:  
**03**



[BACK TO INDEX](#)



### Available Phases



Applications



Floor Tiles



Wall Tiles

100%


Vitrified



100%  
Water Proof

**Lemzon**<sup>®</sup>  
MAGNIFICAT SURFACE

## Lux Charcoal



Finish:  
**GLOSSY**

Size:  
**600x1200mm**


Random:  
**08**



[BACK TO INDEX](#)



### Available Phases



Applications



Floor  
Tiles



Wall  
Tiles

100%

Vitrified

100%

Water Proof

**Lemzon**<sup>®</sup>  
MAGNIFICAT SURFACE

## Eberico Bianco



Finish:  
**GLOSSY**

Size:  
**600x1200mm**

Random:  
**03**

360°


SCAN & TOUCH FOR



BACK TO INDEX



### Available Phases



Applications



Floor Tiles



Wall Tiles

100%

Vitrified



100% Water Proof

**Lemzon**<sup>®</sup>  
MAGNIFICAT SURFACE

## Oram Crema



Finish:  
**GLOSSY**

Size:  
**600x1200mm**

Random:  
**03**



[BACK TO INDEX](#)



### Available Phases



Applications



Floor Tiles



Wall Tiles

100%

Vitrified



100%  
Water Proof

**Lemzon**<sup>®</sup>  
MAGNIFICAT SURFACE

## Laurent Bianco



Finish:  
**GLOSSY**

Size:  
**600x1200mm**

Random:  
**03**

360°




SCAN & TOUCH FOR



BACK TO INDEX



### Available Phases



Applications



Floor Tiles



Wall Tiles



100% Vitrified



100% Water Proof

**Lemzon**<sup>®</sup>  
MAGNIFICAT SURFACE

## Monaco Blue



Finish:  
**GLOSSY**

Size:  
**600x1200mm**

Random:  
**03**

360°


SCAN & TOUCH FOR



BACK TO INDEX



### Available Phases



Applications



Floor Tiles



Wall Tiles



100% Vitrified



100% Water Proof

**Lemzon**<sup>®</sup>  
MAGNIFICAT SURFACE



Size:  
**600x1200mm**

Finish:  
**GLOSSY**



Preview :  
**Monaco Blue**



Applications



Floor Tiles



Wall Tiles

100%

Vitrified

100%

Water Proof

**Lemzon**<sup>®</sup>  
MAGNIFICAT SURFACE

## Rosaliya Crema



Finish:  
**GLOSSY**

Size:  
**600x1200mm**

Random:  
**03**

360°

SCAN & TOUCH FOR



[BACK TO INDEX](#)



### Available Phases



Applications



Floor Tiles



Wall Tiles



Vitrified



Water Proof

**Lemzon**<sup>®</sup>  
MAGNIFICAT SURFACE



Size:  
**600x1200mm**

Finish:  
**GLOSSY**



Preview :  
**Rosaliya Crema**



Applications



Floor Tiles



Wall Tiles

100%


Vitrified



100% Water Proof

**Lemzon**<sup>®</sup>  
MAGNIFICAT SURFACE

## Fusion White



Finish:  
**GLOSSY**

Size:  
**600x1200mm**

Random:  
**03**

360°




SCAN & TOUCH FOR



BACK TO INDEX



### Available Phases



Applications



Floor Tiles



Wall Tiles

100%

Vitrified



100%  
Water Proof

**Lemzon**<sup>®</sup>  
MAGNIFICAT SURFACE

## Fusion Gray



Finish:  
**GLOSSY**

Size:  
**600x1200mm**


Random:  
**03**



[BACK TO INDEX](#)



### Available Phases



Applications



Floor Tiles



Wall Tiles

100%

Vitrified



100%  
Water Proof

**Lemzon**<sup>®</sup>  
MAGNIFICAT SURFACE

## Pulpis White



Finish:  
**GLOSSY**

Size:  
**600x1200mm**


Random:  
**03**



[BACK TO INDEX](#)



### Available Phases



Applications



Floor Tiles



Wall Tiles

100%

Vitrified



100%  
Water Proof

**Lemzon**<sup>®</sup>  
MAGNIFICAT SURFACE

## Pulpis Gray



Finish:  
**GLOSSY**

Size:  
**600x1200mm**

Random:  
**03**



[BACK TO INDEX](#)



### Available Phases



Applications



Floor  
Tiles



Wall  
Tiles



100%  
Vitrified



100%  
Water Proof

**Lemzon**<sup>®</sup>  
MAGNIFICAT SURFACE



Size:  
**600x1200mm**

Finish:  
**GLOSSY**



Preview :  
**Pulpis Gray**



Applications



Floor Tiles



Wall Tiles



100% Vitrified



100% Water Proof

**Lemzon**<sup>®</sup>  
MAGNIFICAT SURFACE

## Explosion Blue



Finish:  
**GLOSSY**

Size:  
**600x1200mm**

Random:  
**03**

360°


SCAN & TOUCH FOR



[BACK TO INDEX](#)



### Available Phases



Applications



Floor Tiles



Wall Tiles



Vitrified



100% Water Proof

**Lemzon**<sup>®</sup>  
MAGNIFICAT SURFACE



Size:  
**600x1200mm**

Finish:  
**GLOSSY**



Preview :  
**Explosion Blue**



Applications



Floor Tiles



Wall Tiles



100% Vitrified



100% Water Proof

**Lemzon**<sup>®</sup>  
MAGNIFICAT SURFACE

## Explosion Fusion



Finish:  
**GLOSSY**

Size:  
**600x1200mm**

Random:  
**03**

360°

SCAN & TOUCH FOR



BACK TO INDEX



### Available Phases



Applications



Floor Tiles



Wall Tiles



100% Vitrified



100% Water Proof

**Lemzon**<sup>®</sup>  
MAGNIFICAT SURFACE



Size:  
**600x1200mm**

Finish:  
**GLOSSY**



Preview :  
**Explosion Fusion**



Applications



Floor Tiles



Wall Tiles



100% Vitrified



100% Water Proof

**Lemzon**<sup>®</sup>  
MAGNIFICAT SURFACE

## Burder Grey



Finish:  
**GLOSSY**

Size:  
**600x1200mm**

Random:  
**03**



[BACK TO INDEX](#)

Available Phases



Applications



Floor Tiles



Wall Tiles



100% Vitrified



100% Water Proof

**Lemzon**<sup>®</sup>  
MAGNIFICAT SURFACE



Size:  
**600x1200mm**

Finish:  
**GLOSSY**



Preview :  
**Burder Grey**



Applications



Floor Tiles



Wall Tiles

100%

Vitrified



100% Water Proof

**Lemzon**<sup>®</sup>  
MAGNIFICAT SURFACE

## Argos Gray



Finish:  
**GLOSSY**

Size:  
**600x1200mm**

Random:  
**03**

360°




SCAN & TOUCH FOR



[BACK TO INDEX](#)



### Available Phases



Applications



Floor Tiles



Wall Tiles



100% Vitrified



100% Water Proof

**Lemzon**<sup>®</sup>  
MAGNIFICAT SURFACE

## Oriental Gray



Finish:  
**GLOSSY**

Size:  
**600x1200mm**

Random:  
**03**

360°

SCAN & TOUCH FOR



BACK TO INDEX



### Available Phases



# Lemzon<sup>®</sup>

MAGNIFICAT SURFACE


600x  
1200mm | GVT &  
PGVT



**Plain Colour**   
collection

"Intricate motifs, colors that excite,  
decorate your life with tiles just right."

## Applications

Floor  
TilesWall  
Tiles100%  
Vitrified100%  
Water Proof**Lemzon**<sup>®</sup>  
MAGNIFICAT SURFACE**Cemento Slate Grey**

Finish:

**GLOSSY & MATT**


Size:

**600x1200mm**

Random:

**05**[BACK TO INDEX](#)Available Phases

## Applications

Floor  
TilesWall  
Tiles100%  
Vitrified100%  
Water Proof**Lemzon**<sup>®</sup>  
MAGNIFICAT SURFACE**Cemento Slate Silver**

Finish:

**GLOSSY & MATT**


Size:

**600x1200mm**

Random:

**05**[BACK TO INDEX](#)**Available Phases**

## Applications

Floor  
TilesWall  
Tiles100%  
Vitrified100%  
Water Proof**Lemzon**<sup>®</sup>  
MAGNIFICAT SURFACE**Cemento Slate Ice**

Finish:

**GLOSSY & MATT**

Size:

**600x1200mm**

Random:

**04**[BACK TO INDEX](#)Available Phases

## Technical Specifications

CHARACTERISTICS	STANDARD AS PER ISO-13006/EN14411 GROUP IIA	OUR VALUE OF PGVT	OUR VALUE OF GVT	TEST METHOD
<b>REGULATORY PROPERTIES</b>				
Deviation In Length & Width	±0.5%	±0.1%	±0.1%	ISO-10545-2
Deviation In Thickness	+5.0%	+4.0%	±4.0%	ISO-10545-2
Straightness In Side	±0.5%	±0.1%	±0.1%	ISO-10545-2
Rectangularity	±0.6%	±0.1%	±0.1%	ISO-10545-2
Surface Flatness	±0.5%	±0.2%	±0.2%	ISO-10545-2
Color Difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg.	Min. 90%	Min. 4%	Glosso Meter
<b>SURFACE MECHANICAL PROPERTIES</b>				
Water absorption	< 0.50%	< 0.05%	< 0.05%	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	> 2.10 g/cc	DIN 51082
<b>MASSIVE MECHANICAL PROPERTIES</b>				
Modulus of rupture	Min. 35 N/mm <sup>2</sup>	Min. 40 N/mm <sup>2</sup>	Min. 40 N/mm <sup>2</sup>	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	as per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
<b>SURFACE MECHANICAL PROPERTIES</b>				
Surface abrasion resistance	as per mfg.	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	as per mfg.	Min. 4	Min. 5	EN 101
<b>THERMO HYDROMETRIC PROPERTIES</b>				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0x10	Max. 6.5x10	Max. 6.5x10	ISO-10545-8
Crazing resistance	as per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11
<b>CHEMICAL PROPERTIES</b>				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
<b>SAFETY PROPERTIES</b>				
Slip resistance	as per mfg.	> 0.40	> 0.40	ISO-10545-17
Fire resistance	as per mfg.	Fireproof	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	as per mfg.	Doesn't yield Pb & Cd	Doesn't yield Pb & Cd	ISO-10545-15

## Packing Details

Sr. No.	Size	Pieces / Box	Area / Box (approx)
1	600x1200 mm	2 pcs	1.44 sq. mtr.

**Lemzon®**  
MAGNIFICAT SURFACE

**LEMZON GRANITO LLP**

8-a National Highway, Sartanpar Road, At. Ratavirda,  
Tal Wankaner, Dist. Morbi - 363 642, Gujarat, INDIA

Email: [info@lemzongranito.com](mailto:info@lemzongranito.com)  
Toll Free: 1800 420 9090

**Domestic:**

Cell: +91 81402 84883  
Email: [sales@lemzongranito.com](mailto:sales@lemzongranito.com)

**Export:**

Cell: +91 75748 88789  
Email: [export@lemzongranito.com](mailto:export@lemzongranito.com)

