

Lemzon[®]

MAGNIFICAT SURFACE

600x
1200mm | GVT &
PGVT



Golden 
collection

"like A Polished Gem, Let Your
Spirit Shine With A Glossy Brilliance."

Glossy

Collection



600x1200mm
GVT & PGVT

EXPERIENCE
The Lavishness

—
ENHANCE THE LAVISHNESS OF
YOUR SPACE

It's A Clickable Catalogue



**Tap To
Explore
Each Product**

Tap on particular product to
Explore full size view.



**Tap To
Back To
Index Page**

Again tap on the Tiles Page
To return to the Index page



CORONOS
WHITE




NYLO
GOLD



PASOLINA
WHITE




RADUGA
WHITE




SCURO
WHITE




SPIDEY
GREY



MOLTEN
AQUA




BULGARI
AQUA




BULGARI
BLUE




BULGARI
GREY



ODELIN
AQUA




ODELIN
GOLD



ARMODA
BLACK




BELLE
GOLD



CORIINTO
BLUE



LINER
GOLD




UMBERT
WHITE



KAMA
OCEAN



KAMA
OLIVE



KAWA
BLUE




KAWA
GREY




LAVINO
WHITE



GOLD
MURAL



CARNICO
AQUA



CARNICO
GREEN



CARNICO
RED



BRONZO
GOLDEN



FORSTER
BROWN



FORSTER
GREY



ORBITO
GOLD

Applications



Floor Tiles



Wall Tiles



Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Cronos White

Finish :

GLOSSY ENDLESS

Size :

600X1200 mm

Random :

04

360
SCAN & TOUCH FOR




BACK TO INDEX

IS 15622:2017



CML-7900104911



Applications



Floor Tiles



Wall Tiles




100% Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Nylo Gold


Finish :
GLOSSY ENDLESS

Size :
600X1200 mm

Random :
04



[BACK TO INDEX](#)



Applications



Floor Tiles



Wall Tiles




Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Pasolina White

Finish :
GLOSSY ENDLESS


Size :
600X1200 mm

Random :
04

360
SCAN & TOUCH FOR



BACK TO INDEX



Applications



Floor Tiles



Wall Tiles




100% Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Raguda White

Finish :

GLOSSY ENDLESS

Size :

600X1200 mm


Random :

04

360
SCAN & TOUCH FOR



[BACK TO INDEX](#)



Applications



Floor Tiles



Wall Tiles




100% Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Scuro White

Finish :

GLOSSY ENDLESS

Size :

600X1200 mm

Random :

03

360
SCAN & TOUCH FOR




BACK TO INDEX

IS 15622:2017



CML-7900104911



Applications



Floor Tiles



Wall Tiles



Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Spidey Grey(Glossy) Alasor Grey(Carving)

Finish :

Glossy | Carving (endless)

Size :

600X1200 mm


Random :

04

360
SCAN & TOUCH FOR



BACK TO INDEX



Applications



Floor Tiles



Wall Tiles




100% Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Molten Aqua

Finish :

GLOSSY ENDLESS

Size :

600X1200 mm


Random :

04

360
SCAN & TOUCH FOR



BACK TO INDEX



Applications



Floor Tiles



Wall Tiles




Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE

Bulgari Aqua



Finish:
GLOSSY

Size:
600x1200 mm




Random:
03



[BACK TO INDEX](#)



Available Phases



Applications



Floor Tiles



Wall Tiles




Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE

Bulgari Blue



Finish:
GLOSSY

Size:
600x1200 mm

Random:
03



360
SCAN & TOUCH FOR



[BACK TO INDEX](#)



Available Phases



Applications



Floor Tiles



Wall Tiles



Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE

Bulgari Grey



Finish:
GLOSSY

Size:
600x1200 mm

Random:
03



360
SCAN & TOUCH FOR



[BACK TO INDEX](#)



Available Phases



Applications



Floor Tiles



Wall Tiles



Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE

Odelin Aqua



Finish:
GLOSSY

Size:
600x1200 mm

Random:
04



360
SCAN & TOUCH FOR



[BACK TO INDEX](#)



Available Phases



Applications



Floor Tiles



Wall Tiles



Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE

Odelin Gold



Finish:
GLOSSY

Size:
600x1200 mm

Random:
04


360
SCAN & TOUCH FOR



[BACK TO INDEX](#)



Available Phases




Applications



Lemzon[®]
MAGNIFICAT SURFACE

Armoda Black



Finish:
GLOSSY

Size:
600x1200mm



Random:
05



[BACK TO INDEX](#)



Available Phases



Applications



Floor Tiles

Wall Tiles

Vitrified

100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE

Belle Gold



Finish:
GLOSSY

Size:
600x1200mm

Random:
03



360
SCAN & TOUCH FOR



[BACK TO INDEX](#)

Available Phases



Applications



Floor Tiles



Wall Tiles




100% Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE

Coriinto Blue



Finish:
GLOSSY

Size:
600x1200mm



Random:
03



[BACK TO INDEX](#)



Available Phases



Applications



Floor Tiles



Wall Tiles




100% Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE

Liner Gold



Finish:
GLOSSY

Size:
600x1200mm

Random:
03

360
SCAN & TOUCH FOR



[BACK TO INDEX](#)



Available Phases



Applications



Floor Tiles



Wall Tiles



Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE

Umbert White



Finish:
GLOSSY

Size:
600x1200mm



Random:
05



[BACK TO INDEX](#)



Available Phases



Glossy Endless

Collection



600x1200mm
GVT & PGVT

EXPERIENCE
The Lavishness

—
ENHANCE THE LAVISHNESS OF
YOUR SPACE

Applications



Floor Tiles



Wall Tiles



Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE

Kama Ocean



Finish:
GLOSSY ENDLESS

Size:
600x1200 mm

Random:
03





360
SCAN & TOUCH FOR



[BACK TO INDEX](#)

Available Phases



Applications



Floor Tiles



Wall Tiles



Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE

Kama Olive



Finish:
GLOSSY ENDLESS


Size:
600x1200 mm

Random:
03



[BACK TO INDEX](#)

Available Phases



Applications



Floor Tiles



Wall Tiles



Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE

Kawa Blue



Finish:
GLOSSY ENDLESS



Size:
600x1200 mm

Random:
03



[BACK TO INDEX](#)

Available Phases



Applications



Floor Tiles



Wall Tiles



Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE

Kawa Grey



Finish:
GLOSSY ENDLESS

Size:
600x1200 mm

Random:
03



360
SCAN & TOUCH FOR



[BACK TO INDEX](#)

Available Phases



Applications



Floor Tiles



Wall Tiles



100% Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE

Lavino White



Finish:
GLOSSY ENDLESS

Size:
600x1200 mm

Random:
04





360
SCAN & TOUCH FOR



BACK TO INDEX

Available Phases



Applications



Floor Tiles



Wall Tiles



100% Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE

**Maximus Grey (Carving)
Gold Mural (Glossy)**



Finish:
GLOSSY/CARVING

Size:
600x1200mm

Random:
01

* Available in both finish



360°
SCAN & TOUCH FOR



BACK TO INDEX

Available Phases



Applications



Floor Tiles



Wall Tiles



100% Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE

Maximus Aqua (Carving)
Carnico Aqua (Glossy)



Finish:
GLOSSY/CARVING

Size:
600x1200mm

Random:
01

* Available in both finish



360°
SCAN & TOUCH FOR



[BACK TO INDEX](#)

Available Phases



Applications



Floor Tiles



Wall Tiles




100% Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE

Maximus Green (Carving)
Carnico Green (Glossy)



Finish:
GLOSSY/CARVING

Size:
600x1200mm

Random:
01

* Available in both finish



[BACK TO INDEX](#)



Available Phases



Applications



Floor Tiles



Wall Tiles



Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE

Carnico Red (Glossy)



Finish:
GLOSSY ENDLESS

Size:
600x1200mm

Random:
01


* Available in both finish



[BACK TO INDEX](#)



Available Phases



Applications



Floor Tiles



Wall Tiles



Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE

Bronzo Golden



Finish:
GLOSSY ENDLESS


Size:
600x1200mm

Random:
01



[BACK TO INDEX](#)

Available Phases



Applications



Floor Tiles



Wall Tiles



Vitified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE

Forster Brown



Finish:
GLOSSY ENDLESS

Size:
600x1200mm

Random:
01



[BACK TO INDEX](#)

Available Phases



Applications



Floor Tiles



Wall Tiles



Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE

Forster Grey



Finish:
GLOSSY ENDLESS

Size:
600x1200mm

Random:
01



[BACK TO INDEX](#)

Available Phases



Applications



Floor Tiles



Wall Tiles



100% Vitified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE

Orbito Gold



Finish:
GLOSSY ENDLESS


Size:
600x1200mm

Random:
03



[BACK TO INDEX](#)

Available Phases



Technical Specifications

CHARACTERISTICS	STANDARD AS PER ISO-13006/EN14411 GROUP BIA	OUR VALUE OF PGVT	OUR VALUE OF GVT	TEST METHOD
REGULATORY PROPERTIES				
Deviation In Length & Width	±0.5%	±0.1%	±0.1%	ISO-10545-2
Deviation In Thickness	+5.0%	+4.0%	±4.0%	ISO-10545-2
Straightness In Side	±0.5%	±0.1%	±0.1%	ISO-10545-2
Rectangularity	±0.6%	±0.1%	±0.1%	ISO-10545-2
Surface Flatness	±0.5%	±0.2%	±0.2%	ISO-10545-2
Color Difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg.	Min. 90%	Min, 4%	Glosso Meter
SURFACE MECHANICAL PROPERTIES				
Water absorption	< 0.50%	< 0.05%	< 0.05%	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
Modulus of rupture	Min. 35 N/mm ²	Min. 40 N/mm ²	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	as per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	as per mfg.	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	as per mfg.	Min, 4	Min. 5	EN 101
THERMO HYDROMETRIC PROPERTIES				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0x10	Max. 6.5x10	Max. 6.5x10	ISO-10545-8
Crazing resistance	as per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES				
Slip resistance	as per mfg.	> 0.40	> 0.40	ISO-10545-17
Fire resistance	as per mfg.	Fireproof	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	as per mfg.	Doesn't yield Pb & Cd	Doesn't yield Pb & Cd	ISO-10545-15

Packing Details

Sr. No.	Size	Pieces / Box	Area / Box (approx)
1	600x1200 mm	2 pcs	1.44 sq. mtr.

Instruction

This is for all our customers to inform you that in Endless designs that will not be 100% joint free. There will be a minimum variation around 5 mm due to some technical reasons. So we will not entertain any complain regarding this.

Lemzon[®]
MAGNIFICAT SURFACE

LEMZON GRANITO LLP

8-a National Highway. Sartanpar Road, At. Ratavirda,
Tal Wankaner, Dist. Morbi - 363 642, Gujarat, INDIA

Email: info@lemzongranito.com
Toll Free: 1800 420 9090

Domestic:

Cell: +91 81402 84883

Email: sales@lemzongranito.com

Export:

Cell: +91 75748 88789

Email: export@lemzongranito.com

