

Lemzon[®]

MAGNIFICAT SURFACE

600x
1200mm | GVT &
PGVT



Rustic
collection



"Vintage Charm, Enduring Warmth -
Adorn Spaces with Classic Tiles' Worth."



ADVANTAGES



Light
Weight



Water Proof
Surface



Frost
Resistance



Resistance
To Heat



Chemical
Resistance



Wear & Tear
Resistance




Resistance
To UV Ray



Stain
Resistance

Rustic

Collection



600x1200mm
GVT & PGVT

EXPERIENCE
The Lavishness

—
ENHANCE THE LAVISHNESS OF
YOUR SPACE

It's A Clickable Catalogue



Tap To Explore Each Product

Tap on particular product to Explore full size view.



Tap To Back To Index Page

Again tap on the Tiles Page To return to the Index page



ROCKBERRY BLACK



ROCKBERRY GREY



ROCKBERRY WHITE



ROCKBERRY WALNUT



CEMENTO SLATE GREY



CEMENTO SALTE SILVER



CEMENTO SLATE ICE




CEMENTO SLATE AQUA



CEMENTO SLATE BLUE



CEMENTO SLATE FOREST



CEMENTO SLATE SAFFRON



CEMENTO SLATE CHOCO



CEMENTO SLATE CREMA



HYDRA GRAPHITE



HYDRA WHITE



MYSTIC GREY




MYSTIC SILVER



MARVEL STONE WHITE



MARVELSTONE BIANCO




SANDY WHITE



SANDY BLACK



SANDY GREY



SANDY CREMA



SANDY CHOCO



ROCKER GREY



ROCKER BLACK

Applications



Floor Tiles



Wall Tiles




Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Rockberry Black

Finish :

RUSTIC

Size :




600X1200 mm

Random :

03



[BACK TO INDEX](#)



Applications



Floor Tiles



Wall Tiles



Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Rockberry Grey

Finish :

RUSTIC

Size :

600X1200 mm

Random :

03



[BACK TO INDEX](#)



Applications



Floor Tiles



Wall Tiles



Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Rockberry White

Finish :

RUSTIC

Size :


600X1200 mm

Random :

03



[BACK TO INDEX](#)



Applications



Floor Tiles



Wall Tiles



Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Rockberry Walnut

Finish :

RUSTIC

Size :

600X1200 mm

Random :

03



[BACK TO INDEX](#)



Applications



Floor Tiles



Wall Tiles




Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Cemento Slate Grey

Finish :

Rustic & Glossy

Size :



600X1200 mm

Random :

04



BACK TO INDEX



Applications



Floor Tiles



Wall Tiles




Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Cemento Slate Silver

Finish :

Rustic & Glossy

Size :



600X1200 mm

Random :

04



[BACK TO INDEX](#)



Applications



Floor Tiles



Wall Tiles




Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Cemento Slate Ice

Finish :

Rustic & Glossy

Size :




600X1200 mm

Random :

04



BACK TO INDEX



Applications



Floor Tiles



Wall Tiles




Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Cemento Slate Aqua

Finish :

Rustic

Size :



600X1200 mm

Random :

04



BACK TO INDEX



Applications



Floor Tiles



Wall Tiles




Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Cemento Slate Blue

Finish :

Rustic

Size :



600X1200 mm

Random :

04



BACK TO INDEX



Applications



Floor Tiles



Wall Tiles



Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Cemento Slate Forest

Finish :

Rustic

Size :


600X1200 mm

Random :

04



BACK TO INDEX



Applications



Floor Tiles



Wall Tiles




Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Cemento Slate Safron

Finish :

Rustic

Size :

600X1200 mm

Random :

04



BACK TO INDEX



Applications



Floor Tiles



Wall Tiles




Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Cemento Slate Choco

Finish :

Rustic

Size :

600X1200 mm

Random :

04



BACK TO INDEX



Applications



Floor Tiles



Wall Tiles




Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Cemento Slate Crema

Finish :

Rustic & Glossy

Size :


600X1200 mm

Random :

04



BACK TO INDEX



Applications



Floor Tiles



Wall Tiles




Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Hydra Graphite

Finish :

Rustic

Size :

600X1200 mm

Random :

05

360
SCAN & TOUCH FOR





BACK TO INDEX

IS 15622:2017



CML-7900104911



Applications



Floor Tiles



Wall Tiles



Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Hydra White

Finish :

Rustic

Size :

600X1200 mm

Random :

05



[BACK TO INDEX](#)



Applications



Floor Tiles



Wall Tiles



Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Mystic Grey

Finish :

Rustic

Size :


600X1200 mm

Random :

05



BACK TO INDEX



Applications



Floor Tiles



Wall Tiles



Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Mystic Silver

Finish :

Rustic

Size :

600X1200 mm

Random :

05



BACK TO INDEX



Applications



Floor Tiles



Wall Tiles



Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



MarvelStone White

Finish :

Rustic

Size :

600X1200 mm

Random :

04



[BACK TO INDEX](#)



Applications



Floor Tiles



Wall Tiles



100% Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Size:
600x1200mm

Finish:
RUSTIC



Preview :
Marvelstone White



Applications



Floor Tiles



Wall Tiles



Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



MarvelStone Bianco

Finish :

Rustic

Size :

600X1200 mm

Random :

04



BACK TO INDEX



Applications



Floor Tiles



Wall Tiles



Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Size:
600x1200mm

Finish:
RUSTIC



Preview :
Marvel Stone Bianco



Applications



Floor Tiles



Wall Tiles




Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Sandy White

Finish :

Rustic

Size :

600X1200 mm

Random :

03



BACK TO INDEX



Applications



Floor Tiles



Wall Tiles



100% Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Size:
600x1200mm

Finish:
RUSTIC



Preview :
Sandy White



Applications



Floor Tiles



Wall Tiles




Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Sandy Black

Finish :

Rustic

Size :





600X1200 mm

Random :

03



[BACK TO INDEX](#)



Applications



Lemzon[®]
MAGNIFICAT SURFACE



Size:
600x1200mm

Finish:
RUSTIC



Preview :
Sandy Black



Applications



Floor Tiles



Wall Tiles




Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Sandy Grey

Finish :

Rustic

Size :

600X1200 mm

Random :

03

360°
SCAN & TOUCH FOR



[BACK TO INDEX](#)

IS 15622:2017



CML-7900104911



Applications



Floor Tiles



Wall Tiles



Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Sandy Crema

Finish :

Rustic

Size :

600X1200 mm

Random :

03



[BACK TO INDEX](#)



Applications



Floor Tiles



Wall Tiles



100% Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Size:
600x1200mm

Finish:
RUSTIC



Preview :
Sandy Crema



Applications



Floor Tiles



Wall Tiles




Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Sandy Choco

Finish :

Rustic

Size :

600X1200 mm

Random :

03



BACK TO INDEX



Applications



Floor Tiles



Wall Tiles



100% Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Size:
600x1200mm

Finish:
RUSTIC



Preview :
Sandy Choco



Applications



Floor Tiles



Wall Tiles



Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Rocker Grey

Finish :

Rustic

Size :

600X1200 mm

Random :

03



BACK TO INDEX



Applications



Floor Tiles



Wall Tiles



100% Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Size:
600x1200mm

Finish:
RUSTIC



Preview :
Rocker Gray



Applications



Floor Tiles



Wall Tiles



Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Rocker Black

Finish :

Rustic

Size :

600X1200 mm

Random :

03



BACK TO INDEX



Applications



Floor Tiles



Wall Tiles



Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Size:
600x1200mm

Finish:
RUSTIC



Preview :
Rocker Black



Technical Specifications

CHARACTERISTICS	STANDARD AS PER ISO-13006/EN14411 GROUP B1A	OUR VALUE OF PGVT	OUR VALUE OF GVT	TEST METHOD
REGULATORY PROPERTIES				
Deviation In Length & Width	±0.5%	±0.1%	±0.1%	ISO-10545-2
Deviation In Thickness	+5.0%	+4.0%	±4.0%	ISO-10545-2
Straightness In Side	±0.5%	±0.1%	±0.1%	ISO-10545-2
Rectangularity	±0.6%	±0.1%	±0.1%	ISO-10545-2
Surface Flatness	±0.5%	±0.2%	±0.2%	ISO-10545-2
Color Difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg.	Min. 90%	Min, 4%	Glosso Meter
SURFACE MECHANICAL PROPERTIES				
Water absorption	< 0.50%	< 0.05%	< 0.05%	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
Modulus of rupture	Min. 35 N/mm ²	Min. 40 N/mm ²	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	as per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	as per mfg.	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	as per mfg.	Min, 4	Min. 5	EN 101
THERMO HYDROMETRIC PROPERTIES				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0x10	Max. 6.5x10	Max. 6.5x10	ISO-10545-8
Crazing resistance	as per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES				
Slip resistance	as per mfg.	> 0.40	> 0.40	ISO-10545-17
Fire resistance	as per mfg.	Fireproof	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	as per mfg.	Doesn't yield Pb & Cd	Doesn't yield Pb & Cd	ISO-10545-15

Packing Details

Sr. No.	Size	Pieces / Box	Area / Box (approx)
1	600x1200 mm	2 pcs	1.44 sq. mtr.

Lemzon[®]
MAGNIFICAT SURFACE

LEMZON GRANITO LLP

8-a National Highway. Sartanpar Road, At. Ratavirda,
Tal Wankaner, Dist. Morbi - 363 642, Gujarat, INDIA

Email: info@lemzongranito.com
Toll Free: 1800 420 9090

Domestic:

Cell: +91 81402 84883

Email: sales@lemzongranito.com

Export:

Cell: +91 75748 88789

Email: export@lemzongranito.com

